

**71909**

SAFETY DATA SHEETS (SDS)

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: Quick Change Sanding Discs, Surface Conditioning Discs, Flap Discs,
Resin Fiber Discs, Sanding Belts
Forney SKUs: **71909, 71910, 71911, 71912, 71916, 71917**

Manufacturer Name: Forney Industries, Inc.
Address: 2057 Vermont Drive, Fort Collins, CO 80525
Website: www.forneyind.com
Email: customerservice@forneyind.com
Phone Number: 1-800-521-6038
Fax Number: 970-498-9505
SDS Creation Date: April 1st. 2014 Revised: 12/15/2016 Rev.: 2.1

SECTION 2 - HAZARDS IDENTIFICATION

Inhalation, Acute: Dust Inhalation may cause coughing, shortness of breath or irritation.
Inhalation, Chronic: Dust Inhalation may affect breathing capacity.
Ingestion: No known adverse effects, but ingestion not recommended.
Skin: Not absorbed through skin. Dust may cause irritation/rash to some.
Eye: Dust may irritate eyes.
Other Potential Risks: Grinding may create elevated sound levels, which may affect hearing and may aggravate pre-existing respiratory condition.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

	INGREDIENTS & CHEMICAL IDENTITY (COMMON NAME):	CAS #	%
1	* Nylon	63428-83-1	5-25%
2	* Aluminum Oxide (Alumina)	1344-28-1	0-65%
3	* Silicon Carbide (Crystolon)	409-21-2	0-65%
4	* Phenol Formaldehyde (Phenolic Resin)	N/A	0-35%
5	* Polyurethane (Resin Cured)	N/A	0-35%

SECTION 4 - FIRST AID MEASURES

Eye Contact:	Immediately flush eyes with water for at least 15 to 20 minutes. Make sure the dust is completely washed off. Get medical attention, if irritation symptoms develop or persist.
Skin Contact:	Wash skin with soap and rinse plenty of water. Get medical attention if irritation symptoms develop or persist.
Inhalation:	Remove affected person to fresh air. Apply artificial respiration if necessary. Seek medical assistance if affected person is still having trouble breathing.
Ingestion:	Unlikely to occur, but accidentally ingested, continue monitoring person for several days to make sure any symptoms persist. Contact physician if any symptom(s) occurred.

SECTION 5 - FIRE FIGHTING MEASURES

Flammable Property:	Non-flammable
Flash Point:	N/A
Flammable limit:	N/A
LEL:	N/A
UEL:	N/A
Extinguishing Media:	Extinguisher/Water

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Step to be taken in case of leaks or spills:	Ventilate Area. Normal clean-up procedures. Avoid creating dusty conditions
Waste disposal method:	Dispose-of in a secured sanitary landfill consistent with applicable Federal, State and Local Laws and Regulations

SECTION 7 - HANDLING AND STORAGE

Handling:	Handle with adequate ventilation (See OSHA 29CFR 1910.94 Ventilation) and 29CFR 1910.1000 (Air Contaminates)
Storage:	Store in dry area, away from heat source. Ideal storage temperature 65-70°F (18-24°C), 50-60% RH
General Hygiene Practices:	Wear proper gloves, eye and face protection

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

	INGREDIENTS & CHEMICAL IDENTITY (COMMON NAME):	OSHA PEL	ACGIH TLV	OTHER LIMIT
1	* Nylon	Non-established	Non-established	Non-established
2	* Aluminum Oxide (Alumina)	15 mg/m3	10 mg/m3	Non-established
3	* Silicon Carbide (Crystolon)	15 mg/m3	10 mg/m3	Non-established
4	* Phenol Formaldehyde (Phenolic Resin)	Non-established	Non-established	Non-established
5	* Polyurethane (Resin Cured)	Non-established	Non-established	Non-established

Respiratory Protection: Specify Type, as needed. For Approved Dust Respirators,
See OSHA 29CFR 1910.134

Eye and Face Protection: Always wear safety glasses. Recommended - See OSHA 29 CFR 1910.133
and ANSI Z87.1

Hearing Protection: Hearing Protection as needed. OSHA 29CFR 1910.95

Skin and Hand Protection: Wear glove and Lab coat

Local Exhaust : Required to keep dust levels below permissible exposure limits

Mechanical: Required to keep dust levels below permissible exposure limits

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance:	Solid	Melting Point:	N/A
Flammability:	Non-flammable	Solubility:	insoluble
Odor:	Odorless	Initial Boiling Point:	N/A
Vapor Pressure:	N/A	Flash Point:	N/A
Vapor density:	N/A	Evaporation Rate:	N/A
pH:	N/A	Auto-ignition temperature:	Not determined
Relative density:	N/A	Decomposition Temperature	
		& viscosity:	N/A

SECTION 10 - STABILITY and REACTIVITY

Hazardous Polymerization:	Hazardous polymerization does not occur under normal condition and usage
Stability:	Stable under normal condition
Condition to avoid:	Unspecified
Hazardous decomposition:	Dust from grinding could contain ingredients listed in section 3 and other, potentially more hazardous components of the base material being ground or coatings applied to the base material.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity:	This product has not been tested for its toxicity
Ingestion:	If accidentally ingested, contact physician for medical attention.
Inhalation:	Dust inhalation may cause coughing, shortness of breath or irritation.
Skin:	Not absorbed through skin. Dust may cause irritation/rash to some.
Eye:	Dust may irritate eyes.
Other Potential Risks:	Grinding may create elevated sound levels, which may affect hearing and may aggravate pre-existing respiratory condition.
Carcinogenicity:	Silica, Amorphous, Fused - IARC-3, NIOSE-X LD50/LC50 Values are not appropriate or available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity:	No ecotoxicity data was found for the product.
Environmental effects:	No known significant effects or hazards.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Dispose-of in a secured sanitary landfill consistent with applicable Federal, State and Local Laws and Regulations.
------------------------	---

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name:	Not regulated as hazardous material for transportation.
DOT UN Number:	Not regulated as hazardous material for transportation.
Transport hazard class:	None
Packing Group Number:	None
Environmental Hazard:	Not regulated as hazardous material for transportation.
label Required:	None

SECTION 15 - REGULATORY INFORMATION

HCS Classification:	This product is Exempted from the regulatory requirement HCS
U.S. Federal Regulations:	SARA 311/312 Hazardous Substances: Not Applicable

EPA TSCA Inventory: All of the ingrediennts are listed

California Proposition 65: WARNING: Dust generated from cut, sand, drill or grind materials such as wood, paint, cement, masonry or metal when using this product often contains chemicals known to cause cancer, birth defects, or other reproductive harm.


Canadian WHMIS Classification: Not a controlled product.
This product meets the definition of a "manufactured article" under the WHMIS regulations

Canadian CEPA: None toxic substances. All of the ingredients are listed on the Canadian DSL.

SECTION 16 - OTHER INFORMATION

Label Requirement: Not controlled under O.S.H.A and under W.H.M.S. when used according to Industry safety standard.


Hazardous Material
Information System (USA)



Hazard Ratings

4- Extreme
3- Serious
2- Moderate
1- Slight
0- Minimal

National Fire Protection
Association



References: ANSI B7.1

Date this revision: 4/1/2014

Revised: 12/15/2016 Rev. 2.1